

Spannstifte leichte Ausführung ISO 13337 / DIN 7346

Dowel Pins ligh duty
ISO 13337 / DIN 7346



Spannstifte leichte Ausführung

ISO 13337 / DIN 7346

Dowel Pins light duty

ISO 13337 / DIN 7346



Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3779	2,0	4	1000
3780	2,0	5	1000
3781	2,0	6	1000
3782	2,0	8	1000
3767	2,0	10	1000
3768	2,0	12	1000
3769	2,0	14	1000
3770	2,0	15	5000
3771	2,0	16	1000
3772	2,0	18	1000
3773	2,0	20	1000
3774	2,0	22	1000
3775	2,0	24	1000
3776	2,0	26	1000
3777	2,0	28	1000
3778	2,0	30	1000
3738	2,5	4	1000
3739	2,5	5	1000
3740	2,5	6	1000
3741	2,5	8	1000
3726	2,5	10	1000
3727	2,5	12	1000
3728	2,5	14	1000
3729	2,5	16	1000
3730	2,5	18	1000
3731	2,5	20	1000
3732	2,5	22	1000
3733	2,5	24	1000
3735	2,5	26	1000
3736	2,5	28	1000
3737	2,5	30	1000
3820	3,0	4	500
3821	3,0	5	500
3822	3,0	6	500
3823	3,0	8	500


Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3805	3,0	10	500
3806	3,0	12	500
3807	3,0	14	500
3808	3,0	16	500
3809	3,0	18	500
3810	3,0	19	500
3811	3,0	20	500
3812	3,0	22	500
3813	3,0	24	500
3814	3,0	25	500
3815	3,0	26	500
3816	3,0	28	500
3817	3,0	30	500
3818	3,0	32	500
3819	3,0	36	500
3797	3,0	40	500
3798	3,5	4	500
3799	3,5	5	500
3800	3,5	6	500
3783	3,5	8	500
3784	3,5	10	500
3785	3,5	12	500
3786	3,5	14	500
3787	3,5	16	500
3788	3,5	18	500
3789	3,5	20	500
3790	3,5	22	500
3791	3,5	24	500
3792	3,5	26	500
3793	3,5	28	500
3794	3,5	30	500
3795	3,5	32	500
3796	3,5	36	500
3862	3,5	40	500
3864	4,0	4	500

Spannstifte leichte Ausführung

ISO 13337 / DIN 7346

Dowel Pins light duty

ISO 13337 / DIN 7346



Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3865	4,0	6	500
3866	4,0	8	500
3844	4,0	10	500
3845	4,0	12	500
3846	4,0	14	500
3847	4,0	16	500
3848	4,0	18	500
3849	4,0	20	500
3850	4,0	22	500
3851	4,0	24	500
3852	4,0	25	500
3853	4,0	26	500
3854	4,0	28	500
3856	4,0	30	500
3858	4,0	32	500
3859	4,0	36	500
3860	4,0	40	500
3861	4,0	45	500
3863	4,0	50	500
3839	4,5	4	500
3841	4,5	5	500
3842	4,5	6	500
3843	4,5	8	500
3824	4,5	10	500
3825	4,5	12	500
3826	4,5	14	500
3827	4,5	16	500
3828	4,5	18	500
3829	4,5	20	500
3830	4,5	22	500
3831	4,5	24	500
3832	4,5	26	500
3833	4,5	28	500
3834	4,5	30	500
3835	4,5	32	500

Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3836	4,5	36	500
3837	4,5	40	500
3838	4,5	45	500
3840	4,5	50	500
3886	5,0	5	100
3889	5,0	6	100
3893	5,0	8	500
3867	5,0	10	500
3868	5,0	12	500
3869	5,0	14	500
3870	5,0	16	500
3871	5,0	18	500
3872	5,0	20	500
3873	5,0	22	100
3874	5,0	24	100
3875	5,0	25	100
3876	5,0	26	100
3877	5,0	28	100
3878	5,0	30	100
3879	5,0	32	100
3880	5,0	35	100
3881	5,0	36	100
3882	5,0	40	100
3883	5,0	45	100
3884	5,0	50	100
3885	5,0	55	100
3887	5,0	60	100
3888	5,0	65	100
3890	5,0	70	100
3891	5,0	75	100
3892	5,0	80	100
3894	5,0	90	100
3908	6,0	3,5	500
3896	6,0	10	100
3897	6,0	12	100

Spannstifte leichte Ausführung

ISO 13337 / DIN 7346

Dowel Pins light duty

ISO 13337 / DIN 7346



Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3898	6,0	14	100
3899	6,0	16	100
3900	6,0	18	100
3901	6,0	20	100
3902	6,0	22	100
3904	6,0	24	100
3905	6,0	25	100
3906	6,0	26	100
3907	6,0	28	100
3909	6,0	30	100
3910	6,0	32	100
3911	6,0	36	100
3912	6,0	40	100
3913	6,0	45	100
3914	6,0	50	100
3915	6,0	55	100
3916	6,0	60	100
3917	6,0	65	100
3918	6,0	70	100
3919	6,0	75	100
3920	6,0	80	100
3921	6,0	85	100
3922	6,0	90	100
3923	6,0	95	100
3895	6,0	100	100
3924	7,0	16	100
3925	7,0	19	100
4411	7,0	32	500
3927	8,0	10	100
3929	8,0	12	100
3930	8,0	14	100
3931	8,0	16	100
3932	8,0	18	100
3933	8,0	20	100
3934	8,0	22	100


Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3935	8,0	24	100
3936	8,0	25	100
3937	8,0	26	100
3938	8,0	28	100
3939	8,0	30	100
3940	8,0	32	100
3941	8,0	35	100
3942	8,0	36	100
3943	8,0	40	100
3944	8,0	45	100
3945	8,0	50	100
3946	8,0	55	100
3947	8,0	60	100
3948	8,0	65	100
3949	8,0	70	100
3950	8,0	75	100
3951	8,0	80	100
3952	8,0	85	100
3953	8,0	90	100
3954	8,0	95	100
3926	8,0	100	100
3928	8,0	120	100
3602	10,0	10	100
3604	10,0	12	100
3606	10,0	14	100
3608	10,0	16	100
3609	10,0	18	100
3610	10,0	20	100
3611	10,0	22	100
3612	10,0	24	100
3613	10,0	25	100
3614	10,0	26	100
3615	10,0	28	100
3616	10,0	30	100
3617	10,0	32	100

Spannstifte leichte Ausführung

ISO 13337 / DIN 7346

Dowel Pins light duty

ISO 13337 / DIN 7346



Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3618	10,0	35	100
3619	10,0	36	100
3620	10,0	40	100
3621	10,0	45	50
3622	10,0	50	50
3623	10,0	55	50
3624	10,0	60	50
3625	10,0	65	50
3626	10,0	70	50
3627	10,0	75	50
3628	10,0	80	50
3629	10,0	85	50
3630	10,0	90	50
3631	10,0	95	50
3601	10,0	100	50
3603	10,0	120	50
3605	10,0	140	50
3607	10,0	160	50
4669	11,0	28	50
3633	12,0	10	50
3635	12,0	12	50
3637	12,0	14	50
3639	12,0	16	50
3641	12,0	18	50
3642	12,0	20	50
3643	12,0	22	50
3644	12,0	24	50
3645	12,0	26	50
3646	12,0	28	50
3647	12,0	30	50
3648	12,0	32	50
3649	12,0	36	50
3650	12,0	40	50
3651	12,0	45	50
3652	12,0	50	50

Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3653	12,0	55	50
3654	12,0	60	50
3655	12,0	65	50
3656	12,0	70	50
3657	12,0	75	50
3658	12,0	80	50
3659	12,0	85	50
3660	12,0	90	50
3661	12,0	95	50
3632	12,0	100	50
3634	12,0	120	50
3636	12,0	140	50
3638	12,0	160	50
3640	12,0	180	50
3663	13,0	10	50
3665	13,0	12	50
3667	13,0	14	50
3669	13,0	16	50
3671	13,0	18	50
3672	13,0	20	50
3673	13,0	22	50
3674	13,0	24	50
3675	13,0	26	50
3676	13,0	28	50
3677	13,0	30	50
3678	13,0	32	50
3679	13,0	36	50
3680	13,0	40	50
3681	13,0	45	50
3682	13,0	50	50
3683	13,0	55	50
3684	13,0	60	50
3685	13,0	65	50
3686	13,0	70	50
3687	13,0	75	50

Spannstifte leichte Ausführung

ISO 13337 / DIN 7346

Dowel Pins light duty

ISO 13337 / DIN 7346



Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3688	13,0	80	50
3689	13,0	90	50
3662	13,0	100	50
3664	13,0	120	50
3666	13,0	140	50
3668	13,0	160	50
3670	13,0	180	50
4619	14,0	14	50
3690	14,0	60	50
3692	16,0	10	50
3694	16,0	12	50
3698	16,0	16	50
3700	16,0	18	50
3702	16,0	20	50
3703	16,0	22	50
3704	16,0	24	50
3705	16,0	26	50
3706	16,0	28	50
3707	16,0	30	50
3708	16,0	32	50
3709	16,0	36	50
3710	16,0	40	50
3711	16,0	45	50
3712	16,0	50	50
3713	16,0	55	25
3714	16,0	60	25
3715	16,0	65	25
3716	16,0	70	25
3717	16,0	75	25
3718	16,0	80	25
3719	16,0	90	25
3691	16,0	100	50
3693	16,0	120	50
3695	16,0	140	50
3697	16,0	160	50


Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3699	16,0	180	50
3701	16,0	200	50
3720	18,0	20	25
3721	18,0	24	25
3722	18,0	36	25
3723	18,0	60	25
3724	18,0	69	25
3725	18,0	70	25
4424	20,0	45	25
3743	20,0	50	25
3742	20,0	140	25
3744	21,0	18	25
3745	21,0	26	25
3746	21,0	30	25
3747	21,0	36	25
3748	21,0	45	25
3749	21,0	50	25
4582	21,0	55	25
3750	21,0	60	50
3751	21,0	80	25
3752	21,0	85	25
3753	21,0	90	25
3754	23,0	24	25
3756	25,0	30	25
3757	25,0	36	25
3759	25,0	45	25
3760	25,0	60	25
3761	25,0	65	25
3762	25,0	70	25
3763	25,0	95	25
4584	25,0	120	25
3755	25,0	160	25
3764	28,0	50	25
3765	28,0	70	25
3766	28,0	75	25

Spannstifte leichte Ausführung

ISO 13337 / DIN 7346

Dowel Pins ligh duty

ISO 13337 / DIN 7346



Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
3801	30,0	30	25
3802	30,0	45	25
4583	30,0	90	25
3803	36,0	75	25



Das Produkt ist auch in rostfreier und verzinkter Ausführung möglich.

The product is also available in stainless steel and galvanized versions.