

Spiralspannstifte leichte Ausführung ISO 8750 / DIN 7343

**Spiral Roll Pins light duty coiled
ISO 8750 / DIN 7343**



Spiralspannstifte leichte Ausführung

ISO 8750 / DIN 7343

Spiral Roll Pins light duty coiled

ISO 8750 / DIN 7343




Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
4484	2,0	14	1000
2778	2,0	18	1000
2779	2,5	6	1000
4699	2,5	12	1000
2780	2,5	16	1000
2781	2,5	20	1000
2782	2,5	22	1000
4497	3,0	6	1000
4467	3,0	8	1000
2783	3,0	12	1000
2784	3,0	14	1000
2785	3,0	16	1000
2786	3,0	18	1000
4498	3,0	20	1000
4478	3,0	22	1000
2788	3,0	26	1000
2789	3,0	30	1000
2790	3,0	32	1000
2791	3,5	20	1000
2792	4,0	12	1000
2793	4,0	16	1000
2794	4,0	18	500
2795	4,0	20	500
2796	4,0	22	500
2797	4,0	26	500
2798	4,0	32	500
2799	4,0	40	500
2800	5,0	22	500
2801	5,0	26	500
2802	5,0	30	500
4650	5,0	35	500
2803	5,0	36	500
4651	5,0	45	500
2804	5,0	50	500
2805	6,0	24	500

Artikel-Nr.	Ø Schaft mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
2869	5,0	12	500
2870	5,0	16	500
2871	5,0	18	500
2872	5,0	20	500
2873	5,0	22	500
2874	5,0	26	500
2875	5,0	30	500
4686	5,0	32	500
2876	5,0	40	500
2877	5,0	45	500
2878	5,0	50	500
2879	6,0	14	500
2880	6,0	20	500
2881	6,0	24	500
2882	6,0	28	500
2883	6,0	30	500
2884	6,0	36	500
2885	6,0	40	500
2886	6,0	50	500
2888	6,0	55	500
2889	6,0	60	500
2891	8,0	18	500
2892	8,0	20	500
2893	8,0	24	500
2894	8,0	30	500
2895	8,0	32	500
2896	8,0	35	500
2897	8,0	40	500
2898	8,0	45	500
2899	8,0	60	500
2900	8,0	75	500
2901	8,0	80	500
2902	8,0	85	500
2821	10,0	40	250
2822	10,0	45	250

Spiralspannstifte leichte Ausführung ISO 8750 / DIN 7343

Spiral Roll Pins light duty coiled
ISO 8750 / DIN 7343



Artikel-Nr.	Ø Schaft (mm)	Länge	
Article No.	Ø Shaft (mm)	Length	
2823	10,0	50	250
2824	10,0	90	250
2820	10,0	120	50
2825	11,0	22	100
2826	12,0	40	100
2827	12,0	55	100
4442	14,0	60	100
4441	14,0	70	100
2829	16,0	100	50



Das Produkt ist auch in rostfreier und verzinkter Ausführung möglich.

The product is also available in stainless steel and galvanized versions.